INFORMATION REPORT	This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorised person is prohibited by law. The reproduction of this form is prohibited.						
CENTRAL INTELLIGENCE AGENCY							
	50X1-HUM						
Declassified in Part - Sanitized Copy Approved for Release 2	:012/06/22 : CIA-RDP80S01540R001500140007-9						

SECR T/CONTROL - U.S. OFFICIALS ONLY SECURITY INFORMATION 50X1-HUM COUNTRY **REPORT** Hungary **SUBJECT** DATE DISTR. 11 June 1953 Western Frontier Security NO. OF PAGES 50X1-HUM DATE OF INFO. REQUIREMENT NO. RD PLACE ACQUIRED REFERENCES THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE. THE APPRAISAL OF CONTENT IS TENTATIVE. Hung ry's security system on its western frontier

50X1-HUM

SECRET /CONTROL - US OFFI, IALS ONLY

STATE .	ARMY	NAVY	AIR	FBI	AEC	OCD	X	Г	
	 			 					

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#".) Form No. 51-61, January 1953

added to the existing security system. Heretofore, the "iron curtain" consisted of barbed-wire entanglements, pressure nines, and Jignal rockets which

Security Information

SECRET
Security Information

went of when unauthorized persons trying to cross the border touched a certain wire system. The innovation consists of the following: between two guard towers, 100 meters inside the frontier and parallel to the above-mentioned security system, a thin wire has been stretched about 25 centimeters above the ground. This very then but strong wire is not easily discovered with the naked eye, even in daylight. The two ends of the wire are each connected to an alarm box located in one of the guard towers. This alarm box has small plates placed in a vertical position.

✓ SECRET

Security Information of 5 projections and

Security Information

50X1-HUM

Os soon as the above-mentioned wire is touched, the plates in the alarm box drop into a horizontal position and cause a light to go on. The electrotechnical system in the alarm box enables the guards to determine at once at which point the wire has been touched. For every 100 meters of barbed wire stretched between the guard towers a light bulb lights up in the alarm box. Immediately the searchlights are turned in the direction indicated and the machineguns open fire. This system reportedly is to be extended along the entire western border of Hungary.

SECRET ~

S OFFICIALS ONLY

SECRET Security Information

U S OFFICIALS DECE

During the summer months, the pressure mines near the barbed wire were replaced by mines of new type. These latter mines are weather-resistant; they do not rust as the earlier type did. The rust which in the old mines used to form in their detonation system often prevented them to explode.

S OFFICIALS ONLY

